

India's Leading Manufacturer for Optical Transceivers and FTTx

Product Catalogue



## **ABOUT US**

Syrotech Networks is a leading technological brand established by GOIP Global Services Pvt. Ltd. With over 28 years of experience, we have specialized in design, development, and manufacturing of FTTx, Datacom, Networking, and Security products.

Our goal is to carve India's name globally in the Fiber & Security industry with high-quality and reliable yet affordable products.

The Make in India initiative was devised to transform India into a global design and manufacturing hub. Our brand truly stands behind this initiative with capital investments made in R&D and manufacturing unit in Greater Noida, which is supported by 200+ highly skilled R&D and production team members.

Our product ranges from OLT & EDFA deployed at ISP/MSO NOC to a wide range of client-end deployed ONT providing Data (Wi-Fi), Voice and Video Services. In addition, we cover complete products for transport layers in FTTx sector including Media Converters, Fiber Cables, LIU, Splitter, Splitter Box, Attenuators and Adaptors.

We are the 1st Indian manufacturer of optical transceivers, who researches, designs, manufactures and markets optical transceivers for various applications & data rate. In accordance with IEEE and MSA protocol, the transceivers use the form factor of SFP, SFP+, SFP28, QSFP+, QSFP28, QSFP-DD, DAC & AOC, Optical Patch chords etc.

In Security & Surveillance sector we have introduced Smart IP CCTV Cameras, Biometric Access Control and Entrance Automation products. Millions of Syrotech devices are installed and deployed by the leading telecoms and internet service providers.

Our products are ISO 9001:2015 and 14001:2015 certified and meet all industry MSA standards, BIS, FCC, CE, WEE and ROHS standards.

We believe in manufacturing highest quality, reliable & robust products for our customers. Our vision of producing world-class experiences in India will strengthen and support our community and thus, transform our lives.













# Introducing Next-Gen WiFi6

SY-GPON-4010-WAXDONT WIFI6 HGU XPON ONT







Next-Gen Gigabit WiFi6 2.4GHz & 5GHz Dual Band Speed up to 1.8



IPv4/IPv6 Dual Stack



\*4GE+ 1POT



USB3.0 Interface For Shared Storage/Printe


## GPON - OLTs & ONTs



#### **GPON-OLTs**



SY-GPON-16OLT 16 PORT GPON OLT



SY-GPON-8OLT 8 PORT GPON OLT



**SY-GPON-40LT** 4 PORT GPON OLT

#### TRIPPLE PLAY



SY-GPON-2011-WADONT 2GE+1POT+CATV+WIFI (AC)



SY-GPON-1111-WDONT 1GE+1FE+1POT+CATV+WIFI



SY-GPON-1001-DONT 1GE+CATV

#### **DATA+VOICE**



SY-GPON-4010-WADONT 4GE+1POT+WIFI (AC)



SY-GPON-2010-WADONT 2GE+1POT+WIFI (AC)




SY-GPON-1110-WDONT 1GE+1FE+1POT+WIFI



SY-GPON-4020-WDONT 1GE+3FE+2POT+WIFI

#### **DATA**



<sup>\*</sup> All GPON ONTs are by default XPON. These can be used in GPON as well as GEPON

## GEPON - OLTs, ONUs & SFPs

#### **GEPON-OLTs**



SY-GOPON-16OLT-L3 16 PORT EPON OLT



SY-GOPON-8OLT-L3 8 PORT EPON OLT



SY-GOPON-4OLT-L3 4 PORT EPON OLT

#### **ONUs**



SY-GOPON-1000-2WONU 1GE + WIFI EPON ONU



SY-GOPON-1000-ONU 1GE EPON ONU



SY-GOPON-0400-RONU 4FE Reverse POE ONU

#### **GEPON SFPs**



GOXS-BI4312-20PON++ 5db EPON SFP



GOXS-BI4312-20PON+++ 7db EPON SFP

#### **GPON SFPs**



GOXS-BI4312-20PONC++ GPON SFP, C++, 1490/1310, 20KM



GOXS-BI4312-20PONC+++
GPON SFP, C+++, 1490/1310, 20KM

India has seen dream of Digital India from latest science to latest technology, everything should be available at the tip of one's finger.

- Narendra Modi

## POE SWITCHES

#### **UNMANAGED POE SWITCHES**



#### SY-0400P-2T-65W

4\*10/100Mbps POE Port +2\*10/100Mbps Uplink Port, IEEE802.3af/at, 65W POE Power, Extend 250 Meters



#### SY-4000P-2S-65W

4\*10/100/1000 port POE switch + 2\*GE SFP Uplink Port, IEEE802.3af/at Standard, 65W POE Power, Extend 250 Meters



#### SY-0800P-2T-96W

8\*10/100Mbps POE Port +2\*10/100Mbps Uplink Port, af/at 96W POE Power, Extend 250 Meters



#### SY-4000P-2T-96W

4\*10/100/1000Mbps POE Port +2\*10/100/1000Mbps Uplink Port, af/at, 96W POE Power, Extend 250 Meters



#### SY-0800P-2T-2S-120W

8\*10/100Mbps POE Switch +2\*10/100/1000Mbps & 2G SFP Uplink Support af/at Standard, 120W Extend 250 Meters



#### SY-8000P-2T-150W

8\*10/100/1000Mbps POE Port + 2\*10/100/1000 Uplink Port, af/at, 150W POE Power, Extend 250 Meters



#### SY-1600P-2T-1S-300W

16\*10/100/1000 port POE switch +2\*10/100/1000 & 1GE SFP Uplink Port, IEEE802.3af/at Standard, 200W POE Power, Extend 250 Meters



#### SY-2400P-2T-1S-300W

24\*10/100/1000 port POE switch +2\*10/100/1000 & 1GE SFP Uplink Port, IEEE802.3af/at Standard, 300W POE Power, Extend 250 Meters



#### SY-0800P-2G-120W

8\*10/100Mbps POE Switch +2\*GE Uplink Support af/at Standard, 120W Extend 250 Meters



#### SY-01600P-2T-2S-300W

16\*10/100/1000 port POE switch +2\*10/100/1000 & 2GE SFP Uplink Port, IEEE802.3af/at Standard, 300W POE Power, Extend 250 Meters

#### L2 MANAGED POE SWITCHES



#### SY-8000P-2S-120W-L2

8\*10/100/1000 POE port +2\*GE SFP Port, 1 console port, IEEE802.3af/at, 120W POE Power



#### SY-8000P-2S-150W-L2

8\*10/100/1000 POE port +2\*GE SFP Port, 1 console port, IEEE802.3af/at, 150W POE Power



#### SY-2400P-4S-400W-L2

24\*10/100/1000 POE Port +4\*GE SFP Port, 1 console port, IEEE802.3af/at, 400W POE Power

#### L2 MANAGED SWITCHES



#### SY-2400S-4X-DP

24x1000M SFP Fiber Interfaces and 4x10G SFP+ interfaces Dual AC power (without SFP's)



#### SY-2400-4X-L2

24x100/1000M electrical Interfaces and 4x10G SFP+ interfaces single AC power (withouts SFP's)



#### SY-8000-4X-L2

8x100/1000M electrical Interfaces and 4x10G SFP+ interfaces

#### INDUSTRIAL POE SWITCHES



#### SY-4000P-2S-IND

POE 4 Port Industrial Switch, 4\*10/100/1000Mbps POE Port +2\*GE SFP uplink Port, IEEE802.3af/at, L2 Managed



#### SY-8000P-4S-IND

POE 8 Port Industrial Switch, 8\*10/100/1000Mbps POE Port +2\*GE SFP uplink Port, IEEE802.3af/at, L2 Managed

## OPTICAL TRANSCEIVERS

DIGITAL NOR

#### QSFP28 100G



**GOXQ28-85100G-SR4** 100G, QSFP28, 850nm, 150Mtr



**GOXQ28-13100G-LR4** 100G, QSFP28, 1310nm, 10KM



**GOXQ28-13100G-ER4** 100G, QSFP28, 1310nm, 40KM





GOXQ-8540G-02-SR4 40G QSFP+, SR4, 850nm, 100m



GOXQ-1340G-LR4 40G QSFP+, PSM LR4, 10KM



GOXQ-1340G-ER4 40G QSFP+, PSM ER4, 40KM

SFP 25G



**GOXP-8528-02** SFP 25G, 850NM, 300M



GOXP-1328-20 SFP 25G, 1310NM, 20KM



GOXP-BI2328-20 SFP28 25G, 1270/1330, 20KM SMF



GOXP-BI3228-20 SFP28 25G, 1330/1270, 20KM SMF

#### SFP+ 10G BIDI



GOXP-BI2396-20 SFP+, 10G, BIDI, 1270/1330NM, 20KM, SMF, DDM GOXP-BI3296-20 SFP+, 10G, BIDI, 1330/1270NM, 20KM, SMF, DDM



GOXP-BI2396-40 SFP+, 10G, BIDI, 1270/1330NM, 40KM, SMF, DDM GOXP-BI3296-40 SFP+, 10G, BIDI, 1330/1270NM, 40KM, SMF, DDM



GOXP-BI2396-60 SFP+, 10G, BIDI, 1270/1330NM, 60KM, SMF, DDM GOXP-BI3296-60 SFP+, 10G, BIDI, 1330/1270NM, 60KM, SMF, DDM



GOXP-BI2396-80 SFP+, 10G, BIDI, 1270/1330NM, 80KM, SMF, DDM GOXP-BI3296-80 SFP+, 10G, BIDI, 1330/1270NM, 80KM, SMF, DDM

#### SFP+ 10G (DUAL FIBER)



**GOXP-8596-02** SFP+, 10G, 850NM, 300M, MMF, DDM



GOXP-1396-20 SFP+, 10G, 1310NM, 10KM, SMF, DDM



GOXP-1596-40 SFP+, 10G, 1550NM, 40KM, SMF, DDM



GOXP-1596-80 SFP+, 10G, 1550NM, 80KM, SMF, DDM

#### SFP 1G BIDI



GOXS-BI3512-20 SFP, BIDI, 1.25G, 1310/1550NM, 20KM, SMF, DDM GOXS-BI5312-20 SFP, BIDI, 1.25G, 1550/1310NM, 20KM, SMF, DDM



GOXS-BI3512-40 SFP, BIDI, 1.25G, 1310/1550NM, 40KM, SMF, DDM GOXS-BI5312-40 SFP, BIDI, 1.25G, 1550/1310NM, 40KM, SMF, DDM



GOXS-BI4512-80
SFP, BIDI, 1.25G, 1490/1550NM, 80KM, SMF, DDM
GOXS-BI5412-80
SFP, BIDI, 1.25G, 1550/1490NM, 80KM, SMF, DDM



GOXS-BI4512-120 SFP, BIDI, 1.25G, 1490/1550NM, 120KM, SMF, DDM GOXS-BI5412-120 SFP, BIDI, 1.25G, 1550/1490NM, 120KM, SMF, DDM

#### SFP 1G (DUAL FIBER)



**GOXS-8512-02D** SFP,1.25G,850NM, 500M, MMF, DDM



GOXS-1312-20D SFP,1.25G,1310nm, 20km, SMF, DDM



GOXS-1312-40D SFP,1.25G,1310NM, 40KM, SMF, DDM



GOXS-1512-80D SFP,1.25G,1550NM, 80KM, SMF, DDM



GOXS-1512-120D SFP,1.25G,1550NM, 120KM, SMF, DDM

#### **COPPER SFP+ & SFP**



**GOXP-C96-02** SFP+, 10G, Copper, RJ45, 30mtr




GOXS-C12-02 SFP, 1000M, Copper, RJ45

Optical Transceivers 100% Compatible for All OEMs (QSFP28, QSFP+, SFP+, XFP, SFP)

## DATA TRANSFER SOLUTION OVER DWDM

& DWDM Booster Amplifier



**DWDM Booster Amplifier** 

**DWDM Booster Amplifier** 

## DWDM & CWDM - Mux-DeMux

#### DWDM-Mux-DeMux



SY-DWDM-08MD3542-R DWDM DeMUX, 8CH, CH-35-42, Rackmount Package, LC/UPC



SY-DWDM-16MD2742-R DWDM MUX, 16CH, CH-27-42, Rackmount Package, LC/UPC



SY-DWDM-24MD2346-R DWDM DeMUX, 24CH, CH-23-46, Rackmount Package, LC/UPC



SY-DWDM-40MD2160-ESR DWDM MUX, 40CH, CH-21-60 Rackmount Package, LC/UPC

#### CWDM-Mux-DeMux



SY-CWDM-04MD1355 CWDM Mux/DeMux, 4 Channel, 1310/1550/1470/1490, Rackmount, LC/UPC Pair



SY-CWDM-08MD4761-R CWDM Mux/DeMux, 8 Channel, 1470-1610 Rackmount Package LC/UPC with 1550 as APC Green



SY-CWDM-16MD1461-R CWDM Mux/DeMux, 16 Channel, 1270-1610 Rackmount Package LC/UPC with 1550 as APC Green

#### SFP+ 10G DWDM



GOXP-DWDM-XX96-40 DWDM SFP+, 10G,XXXX.XX nm-40KM



GOXP-DWDM-XX96-80 DWDM SFP+, 10G, XXXX.XX nm-80KM

#### SFP+ 10G CWDM



GOXP-CWDM-XX96-40 CWDM SFP+, 10G, 1470-1610nm-40KM



GOXP-CWDM-XX96-80 CWDM SFP+, 10G, 1470-1610nm-80KM

## PROFESSIONAL WDM - EDFA

#### Designed for CATV, FTTX & HFC Application



SY-EDFA-32x19-37MDW



SY-EDFA-16X19-34MDW



SY-EDFA-16X19-34MSW



SY-EDFA-8X19-31MDW

#### **FEATURES:**

- Remote management by Syrotech GSM App
- Dual SMPS power Supply with UPS option
- Dual JDSU laser Pump
- SNMP web management
- TFT color display
- Complete Modular based design

## SPLICING MACHINE & POWER METER

#### **SPLICING MACHINES**



SYRO-6S-C Syrotech Core to Core Splicing Machine, 6 Motors



SYRO-6S-L Syrotech Clad to Clad Splicing Machine with touch screen, 4 Motors

- Splicing time 6 Seconds, Heating time 15 Seconds Dust / Shock / Rain Protected, Long Life Electrode.
- 5-inch high-resolution color LCD, 500X magnification, visible clearly with bare eyes.
- Packed with detachable 6800mAh battery, more than 300 times of splicing and heating: high-power LED white light simplifies your work at night.
- · Waterproof, Dust proof, Crash proof, Anti-Drop.
- Ultra Fast Welding Time & Ultra Fast Heat Shrink Time.


#### **POWER METERS**



**SY-OPM-PON** Pon Power Meter




## **GPON FTTH Architecture**






## FIBER PATCHCORDS

#### SINGLE MODE SIMPLEX



#### SINGLE MODE DUPLEX



#### MULTI MODE 0M1/0M2/0M3/0M4/0M5



#### SINGLE MODE/MULTI MODE PIGTAILS





Fiber Patch Cords are available in 1m, 2m, 3m, 5m, 10m, 15m, 20m and customized patch cords are available based on request.

## LIU - FMS

RACK MOUNTING SLIDING TYPE-19 INCH WITH SC/PC, SC/APC, LC/PC, FC/PC, ST/PC, E2K/APC

\*Our Rack Mount LIU/FMS are TWO-IN-ONE can use as sliding type as well as open top type.



**SY-LIU-6F** 6 Port, Rack Mount LIU



SY-LIU-12F 12 Port, Rack Mount LIU



SY-LIU-24F 24 Port, Rack Mount LIU



SY-LIU-48/72F 48/72 Port, Rack Mount LIU



**SY-LIU-96F** 96 Port, Rack Mount LIU

Single Mode / Multi Mode - Simplex / Duplex options are also available.

#### WALL MOUNT TYPE-19 INCH, WITH SC/PC, SC/APC, LC/PC, FC/PC, ST/PC, E2K/APC



**SY-LIU-6F** 6 Port, Wall Mount LIU



SY-LIU-12F 12 Port, Wall Mount LIU



SY-LIU-24F 24 Port, Wall Mount LIU



SY-LIU-48F 48 Port, Wall Mount LIU



SY-LIU-72F 72 Port, Wall Mount LIU



**SY-LIU-96F** 96 Port, Wall Mount LIU

<sup>\*</sup> It is used for Wall Mount / Pole Mount.

<sup>\*</sup>Door with lock & key for flexibility & security.

## FTTH PASSIVE PRODUCTS

#### PLC SPLITTERS & TRIPLE RATIO COUPLER








Steel Tube

**ABS Box** 

LGX Box







Triple Ratio Coupler

#### **FSDB & FTTH WALL OUTLET**



Fiber Splitter Box Unloaded



Fiber Splitter Box Loaded



Fiber Distribution Box Unloaded



Fiber Distribution Box Loaded



FTTH Wall Outlet

#### **CONNECTORS, ADAPTORS & ATTENUATORS**



**Fast Connector** 



**Attenuators** 



**Adaptors** 

#### **FWDM**







FTTH Node


## FIBER CABLES

#### UNARMOURED WITH GLASS YARN



#### SY-CATV-2F-UNARM-GYP

2 Core Unarmoured FRP Cable With Glass Yarn Dia 5.5mm, G652D, HDPE, 2 FRP with 0.8mm Dia



#### SY-CATV-4F-UNARM-GYP

4 Core Unarmoured FRP Cable With Glass Yarn Dia 6 MM, G652D, HDPE, 2 FRP with 1mm Dia



#### SY-CATV-6F-UNARM-GYP

6 Core Unarmoured FRP Cable With Glass Yarn Dia 6mm, G652D, HDPE, 2 FRP with 1mm Dia



#### SY-CATV-12F-UNARM-GYP

12 Core Unarmoured FRP Cable With Glass Yarn Dia 6 mm, G652D, HDPE, 2 FRP with 1mm Dia

#### **DROP CABLES**



#### SY-DROP1F-A1-IND

1 Fiber Optic Drop Cable, SM, G657A1, strenght member (ARP), LSZH sheath Flat cable (Available in Minimum 2 km bundle)



#### SY-DROP2F-A1-IND

2 Fiber Optic Drop Cable, SM, G657A1, strenght member (ARP), LSZH sheath Flat cable (Available in Minimum 2 km bundle)



#### SY-DROP2FR-A1-IND

2Fiber Optic Drop Cable, SM, G657A1, Glass yarn Strength member (FRP), PE sheath, Round Cable (Available in Minimum 2 km bundle

#### CAT6/CAT5 COPPER CABLE



#### SY-CAT6-UTP-305M

CAT6, 23AWG, 4 Pair 0.52mm UTP, PVC, 305 mtrs, Copper Cable



#### SY-CAT5-UTP-DL-305M

CAT5, 24AWG, 4 Pair 0.50mm UTP, PVC, 305 mtrs, Copper Cable



#### SY-CAT6-STP-305M

CAT6, 23AWG, 4 Pair 0.52mm SFTP, PVC, 305 mtrs, Copper Cable



#### SY-CAT5-STP-305M

CAT5, 24AWG, 4 Pair 0.50mm SFTP, PVC, 305 mtrs, Copper Cable



# Why Choose Syrotech?



GUARANTEED QUALITY



COMPETITIVE PRICE



FAST DELIVERY



UNIVERSAL COMPATIBILITY



INDUSTRIAL COMPLIANT



WIDE RANGE OF PRODUCTS



QUALITY CERTIFIED



DEPLOYED IN MAJOR NETWORKS



### GOIP Global Services Pvt. Ltd.

Location: H-68, Sector-63, Noida-201307 (UP), India

Mail : info@syrotech.com Website : www.syrotech.com Toll Free : 1800-21200-6122